

熊谷文化創造館 DMXアドレス表

No.1

[客SUS~1BOR~1SUS~2BOR]

	add.No,	相	備考		add.No,	相	備考
客S 1	1	R		1S 2	26	S	
客S 2	2	S		1S 3	27	T	
客S 3	3	T		1S 4	28	R	
客S 4	4	R		1S 5	29	S	
客S 5	5	S		1S 6	30	T	
客S 6	6	T		1S 7	31	R	
客S 7	7	R		1S 8	32	S	
客S 8	8	S		1S 9	33	T	
客S 9	9	T		1S 10	34	R	
客S 10	10	R		1S 11	35	S	
客S 11	11	S		1S 12	36	T	
客S 12	12	T		1S 13	37	R	
客S 13	13	R		1S 14	38	S	
客S 14	14	S		1S 15	39	T	
客S 15	15	T		1S 16	40	R	
客S 16	16	R		1S 17	41	S	
1B上下1	17	S	作業灯	1S 18	42	T	
1B上下2	18	T	#72	1S 19	43	R	
1B上下3	19	R	N/C	1S 20	44	S	
1B上下4	20	S	#78	2B上下1	45	T	作業灯
1B中1	21	T	作業灯	2B上下2	46	R	#72
1B中2	22	R	#72	2B上下3	47	S	N/C
1B中3	23	S	N/C	2B上下4	48	T	#78
1B中4	24	T	#78	2B中1	49	R	作業灯
1S 1	25	R		2B中2	50	S	#72

[2BOR中③~2SUS~3SUS~4SUS⑧]

No.2

	add.No,	相	備考		add.No,	相	備考
2B中3	51	T	N/C	3S 4	76	R	
2B中4	52	R	#78	3S 5	77	S	
2S 1	53	S		3S 6	78	T	
2S 2	54	T		3S 7	79	R	
2S 3	55	R		3S 8	80	S	
2S 4	56	S		3S 9	81	T	
2S 5	57	T		3S 10	82	R	
2S 6	58	R		3S 11	83	S	
2S 7	59	S		3S 12	84	T	
2S 8	60	T		3S 13	85	R	
2S 9	61	R		3S 14	86	S	
2S 10	62	S		3S 15	87	T	
2S 11	63	T		3S 16	88	R	
2S 12	64	R		3S 17	89	S	
2S 13	65	S		3S 18	90	T	
2S 14	66	T		3S 19	91	R	
2S 15	67	R		3S 20	92	S	
2S 16	68	S		4S 1	93	T	
2S 17	69	T		4S 2	94	R	
2S 18	70	R		4S 3	95	S	
2S 19	71	S		4S 4	96	T	
2S 20	72	T		4S 5	97	R	
3S 1	73	R		4S 6	98	S	
3S 2	74	S		4S 7	99	T	
3S 3	75	T		4S 8	100	R	

[4SUS⑨～中UH～本UH～Back SUS～TL下②]

	add.No,	相	備考		add.No,	相	備考
4S 9	101	S		UH 上6	126	T	#63
4S 10	102	T		UH 上7	127	R	#22
4S 11	103	R		UH 上8	128	S	N/C
4S 12	104	S		UH 下1	129	T	#71
4S 13	105	T		UH 下2	130	R	#72
4S 14	106	R		UH 下3	131	S	N/C
4S 15	107	S		UH 下4	132	T	NONE
4S 16	108	T		UH 下5	133	R	#78
4S 17	109	R		UH 下6	134	S	#63
4S 18	110	S		UH 下7	135	T	#22
4S 19	111	T		UH 下8	136	R	N/C
4S 20	112	R		BS 1	137	S	裏明かり
中UH上下1	113	S	#72	BS 2	138	T	〃
中UH上下2	114	T	#78	BS 3	139	R	〃
中UH上下3	115	R	#22	BS 4	140	S	〃
中UH上下4	116	S	N/C	BS 5	141	T	〃
中UH中1	117	T	#72	BS 6	142	R	〃
中UH中2	118	R	#78	BS 7	143	S	〃
中UH中3	119	S	#22	BS 8	144	T	〃
中UH中4	120	T	N/C	TL 上1	145	R	反響板時袖明かり
UH 上1	121	R	#71	TL 上2	146	S	
UH 上2	122	S	#72	TL 上3	147	T	
UH 上3	123	T	N/C	TL 上4	148	R	
UH 上4	124	R	NONE	TL 下1	149	S	反響板時袖明かり
UH 上5	125	S	#78	TL 下2	150	T	操作盤袖明かり

[TL下③～Fr～Foot,FC前、FC上①～FC下⑩]

	add.No,	相	備考		add.No,	相	備考
TL 下3	151	R		F前 C2	176	S	
TL 下4	152	S		F前 C3	177	T	
FS 上1	153	T	RIKURI	F前 C4	178	R	
FS 上2	154	R	負荷未接続	FC上1	179	S	
FS 上3	155	S	最下段	FC上2	180	T	
FS 上4	156	T	RIKURI	FC上3	181	R	
FS 上5	157	R	上段舞台側	FC上4	182	S	
FS 上6	158	S	下段舞台側	FC上5	183	T	
FS 上7	159	T	上段客席側	FC上6	184	R	
FS 上8	160	R	下段客席側	FC上7	185	S	
FS 下1	161	S	RIKURI	FC上8	186	T	
FS 下2	162	T	負荷未接続	FC上9	187	R	
FS 下3	163	R	最下段	FC上10	188	S	
FS 下4	164	S	RIKURI	FC上11	189	T	
FS 下5	165	T	上段舞台側	FC上12	190	R	
FS 下6	166	R	下段舞台側	FC下1	191	S	
FS 下7	167	S	上段客席側	FC下2	192	T	
FS 下8	168	T	下段客席側	FC下3	193	R	
CON 1	169	R		FC下4	194	S	
CON 2	170	S		FC下5	195	T	
F 1	171	T		FC下6	196	R	
F 2	172	R		FC下7	197	S	
F 3	173	S		FC下8	198	T	
F 4	174	T		FC下9	199	R	
F前 C1	175	R		FC下10	200	S	

[FC下11～FC中、奥、OFC～CL18]

	add.No,	相	備考		add.No,	相	備考
FC下11	201	T		※CL 6	226	R	2Kw (芯)
FC下12	202	R		※CL 7	227	S	2Kw (芯)
FC中 上1	203	S		△CL 8	228	T	2Kw
FC中 上2	204	T			229	R	(空き)
FC中 下1	205	R			230	S	(空き)
FC中 下2	206	S			231	T	(空き)
FC奥 上1	207	T			232	R	(空き)
FC奥 上2	208	R		●CL 9	233	S	2Kw
FC奥 上3	209	S		※CL10	234	T	2Kw
FC奥 下1	210	T		△CL11	235	R	2Kw
FC奥 下2	211	R		●CL12	236	S	2
FC奥 下3	212	S			237	T	(空き)
OFC 上1	213	T			238	R	(空き)
OFC 上2	214	R			239	S	(空き)
OFC 下1	215	S			240	T	(空き)
OFC 下2	216	T		◎CL13	241	R	1.5Kw
●CL 1	217	R	2Kw	■CL14	242	S	1.5Kw
△CL 2	218	S	2Kw	◎CL15	243	T	1.5Kw
※CL 3	219	T	2Kw	■CL16	244	R	1.5 (芯)
●CL 4	220	R	2Kw		245	S	(空き)
	221	S	(空き)		246	T	(空き)
	222	T	(空き)		247	R	(空き)
	223	R	(空き)		248	S	(空き)
	224	S	(空き)	■CL17	249	T	1.5 (芯)
△CL 5	225	T	2Kw	◎CL18	250	R	1.5Kw

[CL18~LH~客電]

	add.No,	相	備考		add.No,	相	備考
■CL19	251	S	1.5Kw		276	T	(空き)
◎CL20	252	T	1.5Kw		277	R	"
	253	R	(空き)		278	S	"
	254	S	"		279	T	"
	255	T	"		280	R	"
	256	R	"		281	S	"
LH 上1	257	S			282	T	"
LH 上2	258	T			283	R	"
LH 上3	259	R			284	S	"
LH 上4	260	S			285	T	"
	261	T	(空き)		286	R	"
	262	R	"		287	S	"
	263	S	"		288	T	"
	264	T	"	客電 1	289	R	作業灯 メイン
LH 下1	265	R		客電 2	290	S	作業灯 2F席メイン
LH 下2	266	S		客電 3	291	T	作業灯バル コニー&1F奥
LH 下3	267	T		客電 4	292	R	作業灯 外側
LH 下4	268	R			293	S	(空き)
	269	S	(空き)		294	T	"
	270	T	"		295	R	"
	271	R	"		296	S	"
	272	S	"	客電 5	297	T	バルコニー 間接照明
	273	T	"	客電 6	298	R	ポール奥 のみ
	274	R	"	客電 7	299	S	2F奥壁
	275	S	"	客電 8	300	T	前室

※客電9~14(add.No,329~334) 蛍光灯